



SILO BLENDING CONE

*The Nol-Tec silo blending cone
homogeneously blends dry materials in
storage silos.*

STANDARD FEATURES:


- Utilizes twelve BFA Pistons (refer to cutsheet Model 276 BFA Piston for additional details)
- 69 degree cone angle to promote material flow
- No product gathering lips or edges on interior
- Ductile iron construction with painted exterior
- Lifting lugs to assist with handling and installation
- Air controls
- Low shear blending action with no internal moving parts

SPECIFICATIONS:

- **Weight:** 600 lbs (Blending cone + qty. 12 BFA Pistons)
- **Compressed air:** Clean and dry at 80 PSIG minimum
- **Temperature:** Up to 200° F
- **Electrical:** designed to meet customers specification

OPTIONAL FEATURES:

- Interior coatings and finishes
- Stainless steel construction
- Sanitary design
- High-temperature design



INTERNAL VIEW

Specifications subject to change without notice.

TRUSTED TO DELIVER®

Nol-Tec Systems, Inc | 425 Apollo Drive | Lino Lakes, MN 55014
651.780.8600 | sales@nol-tec.com | www.nol-tec.com


5.027.SALE. 06.17.24.04





SILO BLENDING CONE

*The Nol-Tec silo blending cone
homogeneously blends dry materials in
storage silos.*



Specifications subject to change without notice.

TRUSTED TO DELIVER®

Nol-Tec Systems, Inc | 425 Apollo Drive | Lino Lakes, MN 55014
651.780.8600 | sales@nol-tec.com | www.nol-tec.com

5.027.SALE. 06.17.24.04

